

CLAIMS

- 1 Thermoplastic polyester compositions comprising, by weight:
- (i) a thermoplastic polyester;
 - 5 (ii) an impact modifier comprising:
 - (a) a core-shell copolymer (A);
 - (b) an ethylene copolymer (B) chosen from ethylene-unsaturated carboxylic acid anhydride copolymers (B1), ethylene-unsaturated epoxide copolymers (B2) and blends thereof;
 - 10 (iii) the (B)/(A) ratio being between 40/60 and 10/90 for proportions of impact modifier between 18 and 40% in 82 to 60% of polyester, respectively;
 - (iv) the (B)/(A) ratio being between 40/60 and 25/75 for proportions of impact modifier between 2 and 18% in 98 to 82% of polyester, respectively,
 - 15 and advantageously between 5 and 18% in 95 to 82% of polyester respectively.
- 2 Compositions according to Claim 1, in which the polyester is chosen from PET and PBT.
- 20
- 3 Compositions according to Claim 1 or 2, comprising up to 30 parts by weight of copolyetherester per 100 parts of thermoplastic polyester.
- 25
- 4 Compositions according to any one of the preceding claims, comprising up to 30 parts by weight of polycarbonate per 100 parts of thermoplastic polyester.
- 30
- 5 Compositions according to any one of the preceding claims, in which the copolymer (A) comprises an elastomer core and at least one thermoplastic shell.

6 Compositions according to any one of the preceding claims, in
 which the copolymers (B1) are ethylene-alkyl (meth)acrylate-maleic
 anhydride copolymers which comprise from 0.2 to 10% by weight of maleic
 anhydride and from 0 to 40%, preferably 5 to 40%, by weight of alkyl
 5 (meth)acrylate.

7 Compositions according to any one of Claims 1 to 5, in which
 the ethylene-unsaturated epoxide copolymers (B2) are ethylene-alkyl
 (meth)acrylate-unsaturated epoxide copolymers obtained by
 10 copolymerization of the monomers and contain from 0 to 40% by weight of
 alkyl (meth)acrylate and up to 10% by weight of unsaturated epoxide.

8 Compositions according to any one of the preceding claims,
 comprising, per 100 parts by weight, 75 to 95 parts of polyester for 25 to 5
 15 parts of impact modifier, respectively.

9 Compositions according to any one of the preceding claims, in
 which the proportions of (A) and (B) are such that the (B)/(A) ratio is
 between 40/60 and 25/75, whatever the amount of impact modifier in the
 20 polyester.

10 Impact-modifier compositions comprising:

- (a) a core-shell copolymer (A);
- (b) an ethylene copolymer (B) chosen from ethylene-unsaturated
 25 carboxylic acid anhydride copolymers (B1), ethylene-unsaturated
 epoxide copolymers (B2) and blends thereof;
- the (B)/(A) ratio being between 40/60 and 10/90 for proportions of
 impact modifier between 18 and 40% in 82 to 60% of polyester,
 respectively,
- 30 • the (B)/(A) ratio being between 40/60 and 25/75 for proportions of
 impact modifier between 2 and 18% in 98 to 82% of polyester,
 respectively, and advantageously between 5 and 18% in 95 to 82% of
 polyester, respectively.